

LOCALITY PLAN NTS

DRAWING INDEX

CONS	TRUCTION		STATUS	ISSUE		COMMENTS
No.	DRAWING TITLE	CAD No		DAY:	4	
				MONTH:	11	
				YEAR:	22	
C01	Cover Sheet & Locality Plan	DD135002	For pricing		Α	
D01	Site Extent and Site Access Plan	DD135002	For pricing		Α	
D02	Overall Stage 4 Realignment Plan	DD135002	For pricing		Α	
D03	Demolition and Tree Removal Plan	DD135002	For pricing		Α	
D04	Construction Plan 1: Chainage 360-450	DD135002	For pricing		Α	
D05	Construction Plan 2: Chainage 450-560	DD135002	For pricing		Α	
D06	Construction Plan 3: Chainage 560-680	DD135002	For pricing		Α	
D07	Construction Plan 4: Chainage 680-end	DD135002	For pricing		Α	
D08	Construction Plan 5: Backfill of existing stream and Fence Layout	DD135002	For pricing		Α	
D09	Cross sections 1	DD135002	For pricing		Α	
D10	Cross sections 2	DD135002	For pricing		Α	
D11	Typical In-stream Features; Details A-B	DD135002	For pricing		Α	
D12	Typical In-stream Features; Details C-D	DD135002	For pricing		Α	
D13	Typical In-stream Features; Detail E	DD135002	For pricing		Α	
D14	Typical In-stream Features; Details F- G	DD135002	For pricing		Α	
D15	Typical Bank Features and Invert Details: Details H-I	DD135002	For pricing		Α	
D16	Typical Bank Features and Invert Details: Details J-K	DD135002	For pricing		Α	
D17	Typical Details: Detail L	DD135002	For pricing		Α	
D18	Typical Details: Details M-N	DD135002	For pricing		Α	
D19	Typical Details: Details O-R	DD135002	For pricing		Α	
D20	Details 6-8	DD135002	For pricing		Α	
D21	Pipework Longitudinal Profiles and Detail	DD135002	For pricing		Α	
LAN	DSCAPING			ISSUE		COMMENTS
L01	Planting Plan 1	LP404701			Α	

LP404701

LP404701

LP404701

LP404701

ارو		
		DA
	Christchurch	ВЕ
	, V	RI SI
	City Council 🔫	SU
	010) 00 0 111011 V	
	TECHNICAL SERVICES & DESIGN	DF
	TECHNICAL SERVICES & DESIGN	SA

DATUM	C.D.D.		NAME	SIGNED	DATE	APP	ROVED	CONSULTANT		PI
BENCH MK.	Bench Mark	DESIGNED	A SMITH		08/2022		TENDER			
RL	Bench Mark RL	DES. REVIEW	M PENTECOST		11/2022	DATE	SIGNED			
SURVEY	Survey	DRAWN	G WILLIAMS		08/2022	Tender Date				
SURVEY LB	Level Book	DRW. CHECK	J POWICK		11/2022	FOR CO	NSTRUCTION	1		
		FILE LOCATION								
DRAIN. REF.	16717 & 16718	S:\Data\Dgn\V8\D	ı Prainage\dd1300\dd1	35002.dgn		DATE	SIGNED	CONSULTANT PROJECT REF.	CONSULTANT FILE REF.	7
SAP WBS	562/3873	PRINTED ON 3	3/11/2022 BY Jo	ordaanc		Constn Date				

Planting Plan 2

Planting Plan 3

Planting Plan 4

Overall Plant List

CASHMERE STREAM REALIGNMENT STAGE 4

Α

Α

NOT PROVIDED

FOR PRICING

COVER SHEET AND LOCALITY PLAN


DOCUMENT NUMBER TD SIGNED SATE

TD SIZE SCALES


CAD DRAWING FILE REF. DD135002.DGN A1


TSD PROJECT FILE NUMBER SHEET


CP503560 C01 OF 1





APPROVED CONSULTANT Christchurch City Council TD 1:750 A1 **CASHMERE STREAM REALIGNMENT** SITE EXTENT AND DATE Bench Mark RL AD DRAWING FILE REF. 1:1500 A3 DD135002.DGN 08/2022 ender Date SURVEY LB Level Book DRW. CHECK J POWICK STAGE 4 SITE ACCESS PLAN FOR CONSTRUCTION CP503560 D01 of 21 CONSULTANT PROJECT REF. CONSULTANT FILE REF. TECHNICAL SERVICES & DESIGN












APPROVED CONSULTANT C.D.D. Christchurch City Council TD 08/2022 Bench Mark 1:200 A1 cad drawing file ref.
DD135002.DGN DES. REVIEW M PENTECOST CONSTRUCTION PLAN 3: Bench Mark RL 11/2022 DATE SIGNED **CASHMERE STREAM REALIGNMENT** 1:400 A3 SURVEY Survey
SURVEY LB Level Book 08/2022 ender Date DRW. CHECK J POWICK 11/2022 STAGE 4 **CHAINAGE** 560 - 680 FOR CONSTRUCTION FILE LOCATION SIGNED CP503560 D06 OF 21 CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 \$FILENAME\$ **TECHNICAL SERVICES & DESIGN** PRINTED ON \$DATE\$ BY \$USERNAME\$



Christchurch City Council TD 1:200 A1 CAD DRAWING FILE REF.


DD135002.DGN 1:400 A3 SURVEY Survey
SURVEY LB Level Book CHAINAGE 680 - END DRW. CHECK J POWICK 11/2022 STAGE 4 D PROJECT FILE NUMBER FOR CONSTRUCTION FILE LOCATION DATE SIGNED CP503560 D07 OF 21 CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 \$FILENAME\$ **TECHNICAL SERVICES & DESIGN** AP WBS 562/3873 PRINTED ON \$DATE\$ BY \$USERNAME\$


Note:
 Existing bridge to be removed as part of works.
 (Refer to D03)


DRAFT

NOT FOR

CONSTRUCTION










FILL (m)




NOTES


1. Proposed in-stream features are not shown on these sections as locations are subject to change.





											A FOR PRICING ISSUE AMENDMENTS	SI	11/2022 SIGNED DATE
Christchurch City Council	DATUM BENCH MK. RL SURVEY SURVEY I B	C.D.D. Bench Mark Bench Mark R Survey	DESIGNED L DES. REVIEW DRAWN	NAME A SMITH V M PENTECOST G WILLIAMS		FOR TENDER	CONSULTANT		CASHMERE STREAM REALIGNMENT	CROSS SECTIONS 1	DOCUMENT NUMBER TD CAD DRAWING FILE REF. DD135002.DGN		1:100 A1 1:200 A3
TECHNICAL SERVICES & DESIGN		16717 562/3873	FILE LOCATION \$FILENAME\$ PRINTED ON	\$DATE\$ BY \$	DATE		CONSULTANT PROJECT REF.	CONSULTANT FILE REF.	STAGE 4		CP50356	60 DO	09 OF 21



SCALE 1:100 A1 1:200 A3







285 D02 SCALE 1:100 A1 1:200 A3

NOTES


Proposed in-stream features are not shown on these sections as locations are subject to change.



11/2022

A FOR PRICING

											ISSUE	AMENDMENTS	SIGNED DATE
	DATUM	C.D.D.		NAME SIGN	NED DATE	APPROVED	CONSULTANT		PROJECT TITLE	DRAWING TITLE	DOCUMENT NUMI	MBER ORIGINAL	SCALES
Christchurch	BENCH MK.	. Bench Mark		SMITH	08/2022	FOR TENDER DATE SIGNED	4				Т	SIZE	1:100 A1
0'4 0 11	SURVEY	Survey	DRAWN G	VILLIAMS	08/2022 Te	nder Date	-		CASHMERE STREAM REALIGNMENT	CROSS SECTIONS 2	CAD DRAWING FII	1 1 1	1:200 A3
City Council	SURVEY LE	B Level Book		POWICK	11/2022	FOR CONSTRUCTION	1		STAGE 3		TSD PROJECT FIL		SHEET
TECHNICAL SERVICES & DESIGN	DRAIN. REF	F. 16717	FILE LOCATION \$FILENAME\$			DATE SIGNED	CONSULTANT PROJECT REF.	CONSULTANT FILE REF.			CP	503560	D10 OF 21
I ECHINICAL SERVICES & DESIGN	SAP WBS	562/3873	PRINTED ON \$DAT	S BY SUSER	NAMES CO	nstn Date							




TRUE LEFT BANK LEAVE 150-300mm GAP BETWEEN
BOULDERS OR AS DIRECTED BY
FRESHWATER ECOLOGIST -2 - 4 x 800mm - 1m BASALT BOULDERS POLISHED INTO CHANNEL MARGIN TRUE RIGHT BANK

PLAN VIEW OF ROCK EDGE


DETAIL AIM:

- Spaces are left between the boulders to provide refuge.
- for smaller aquatic species and access to soft substrate. Emergent boulders provide egg laying sites for insects.
- Provides flow variation in stream.
- Use in locations where there are bank stability concerns.





1:50 @ A1 1:100 @ A3



TRUE RIGHT BANK

PLAN VIEW OF ROCK RIFFLE

DETAIL AIM:

- Gravels and boulders in the invert change the velocity of the stream flow providing habitat for aquatic species.
- The largest basalt boulders may be emergent to provide egg laying sites for insects.

NOT FOR CONSTRUCTION

A FOR PRICING

APPROVED CONSULTANT Christchurch City Council Bench Mark 08/2022 DATE Bench Mark RL DES. REVIEW | M PENTECOST 11/2022 SIGNED SURVEY Survey 08/2022 nder Date Level Book DRW. CHECK J POWICK 11/2022 FOR CONSTRUCTION FILE LOCATION SIGNED CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 **TECHNICAL SERVICES & DESIGN** PRINTED ON \$DATE\$ BY \$USERNAME\$

CASHMERE STREAM REALIGNMENT STAGE 4

TYPICAL IN-STREAM FEATURES: DETAILS A-B

NOTES

of work.

on site.

specified otherwise.

boulders and cobbles.

1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless

2. Any deviation is not to be carried out until written instruction

3. The contractor is to check all services with the appropriate

6. The exact extent and location of these details is subject to

Ecologist, including detail type, placement of timber, basalt

7. The contractor is to ensure that all boulders and gravels are to be placed under the direction of CCC's Freshwater Ecologist,

8. Exact numbers of boulders for each location to be determined

measurements to be confirmed on site prior to commencement

on-site approval by the CCC Contracts Engineer and Freshwater

4. Drawing is indicative only. Do not scale off drawing. All


is received from the CCC Contracts Engineer.

authorities prior to commencement of work.

5. Refer to sheet D02 for general notes.


including gaps between boulders.

IOOOL	AMENDMENTO			0101	D/(12		
DOCUM	ENT NUMBER	ORIGINAL SHEET	SCALES				
	TD	SIZE					
CAD DR	AWING FILE REF.	م ا		NWC			
	135001.DGN	A1					
TSD PRO	OJECT FILE NUMBER		SHEE	ΕT			
(CP5035		D11	OF 2			



DETAIL AIM:

- Weathered hardwood timber (branches or irregular logs) are secured to bank to form an overhang and fish refuge.
- Timber is to be interlocked to secure and provide spaces for
- refuge and access to soft substrate of the bank.
- Provides flow variation in stream.
- Use in locations where there are bank stability concerns.



TYPICAL DETAIL - LOG EDGE

PLAN VIEW OF LOG EDGE

DETAIL AIM:

- Logs or sleepers are secured to bank to form an overhang and fish refuge.
- Timber to provide spaces for refuge and access to soft
- substrate of the bank.
- Use in locations where there are bank stability concerns.

NOTES

- 1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless specified otherwise.
- 2. Any deviation is not to be carried out until written instruction is received from the CCC Contracts Engineer.
- 3. The contractor is to check all services with the appropriate authorities prior to commencement of work.
- 4. Drawing is indicative only. Do not scale off drawing. All measurements to be confirmed on site prior to commencement of work.
- 5. Refer to sheet D02 for general notes.
- 6. The exact extent and location of these details is subject to on-site approval by the CCC Contracts Engineer and Freshwater Ecologist, including detail type, placement of timber, basalt boulders and cobbles.
- 7. The contractor is to ensure that all boulders and gravels are to be placed under the direction of CCC's Freshwater Ecologist.
- 8. Location and placement of timber and logs to be under the direction of the CCC's Freshwater Ecologist to ensure site specifo outcome is achieved.
- 9. Platipus anchors are to be installed so there is no slack in the stainless steel wire around the timber.



A FOR PRICING

Christchurch City Council **TECHNICAL SERVICES & DESIGN**

	DATUM	C.D.D.		NAME	SIGNED	DATE	APP	KUVED	CONSULTANT	
	BENCH MK.	Bench Mark	DESIGNED	A SMITH		08/2022	FOR	R TENDER		
	RL	Bench Mark RL	DES. REVIEW	M PENTECOST		11/2022	DATE	SIGNED		
	SURVEY	Survey	DRAWN	C JORDAAN		08/2022	Tender Date			
	SURVEY LB	Level Book	DRW. CHECK	J POWICK		11/2022	FOR CONSTRUCTION			
			FILE LOCATION							
J	DRAIN. REF.	16717	\$FILENAME\$				DATE	SIGNED	CONSULTANT PROJECT REF.	CONSULTANT FILE REF.
Т	SAP WBS	562/3873	PRINTED ON S	\$DATE\$ BY \$U	JSERNAM	Ξ\$	Constn Date			

CASHMERE STREAM REALIGNMENT STAGE 4

TYPICAL IN-STREAM FEATURES: DETAILS C-D

	ISSUE AMENDMENTS	i		SIGNED	DATE			
_								
	DOCUMENT NUMBER	ORIGINAL SHEET	SCAL	_ES				
	TD	SIZE						
	CAD DRAWING FILE REF.	1		AS SHO	NWC			
	DD135001.DGN	A1						
	TSD PROJECT FILE NUMBER		SHEE	-T				
	CP5035		D12	OF 21				


TRUE LEFT BANK 2-3 WEATHERED HARDWOOD STUMPS PLACED INTO STREAM. - WEDGE OF AP65/SOIL 70/30 MIX OR ANGLE STUMP OVER THE CHANNEL SIMILAR DOUBLE WRAPPED IN MULCH TO PROVIDE OVERHANG-MAT OVER STUMPS (TO BE PLANTED INTO) **SEASONAL LOW WATER LEVEL EXISTING GROUND LEVEL** (300mm MINIMUM)-2-3 WEATHERED HARDWOOD STUMPS TRUE LEFT BANK TRUE RIGHT BANK PLACED INTO STREAM BANK AND **SEASONAL HIGH** SECURED WITH PLATIPUS ANCHORS WATER LEVEL-**BIODEGRADABLE MULCH** MAT ON CUT SURFACES
GRADING TO STREAM— BIODEGRADABLE MULCH MAT ON CUT SURFACES GRADING TO STREAM OPTIONAL BASALT BOULDERS
- WEDGED BETWEEN STUMPS **50mm DEPTH PEA** (2) X PLATIPUS S4 ANCHORS PER **GRAVEL ON INVERT-**TO ASSIST WITH SECURING STUMP OR 1 S6 ANCHOR PER STUMP NOTE: THE WEATHERED STUMPS ARE TO BE HARDWOOD OR A MIX OF HARDWOOD AND SOFTWOOD SPECIES (EG. PINE) TRUE RIGHT BANK -PROTRUDING ROOTS -(2) X PLATIPUS S4 ANCHORS PER **EMBEDDED INTO** PLAN VIEW OF ROOT WAD EDGE STUMP OR 1 S6 ANCHOR PER STUMP STREAM INVERTS TO BE DETERMINED ON SITE

TYPICAL DETAIL - ROOT WAD EDGE - OPTION 1: IN BANK

1:50 @ A1
1:100 @ A3

DETAIL AIM:

- A fish refuge is created by the tangled roots of weathered tree stumps firmly secured to the side of the bank.
- The root wad edge provides variable stream velocity and habitat for aquatic species.
- Use in locations where there are bank stability concerns.



PROJECT TITLE

TYPICAL DETAIL - ROOT WAD EDGE - OPTION 2: STUMP OVERHANG

1:50 @ A1
1:100 @ A3

DETAIL AIM:

- A fish refuge is created by the tangled roots of weathered tree stumps firmly secured to the side of the bank.
- The root wad edge provides variable stream velocity and habitat for aquatic species.
- Use in locations where there are bank stability concerns.

NOTES


- 1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless specified otherwise.
- 2. Any deviation is not to be carried out until written instruction is received from the CCC Contracts Engineer.
- 3. The contractor is to check all services with the appropriate authorities prior to commencement of work.
- 4. Drawing is indicative only. Do not scale off drawing. All measurements to be confirmed on site prior to commencement of work.
- 5. Refer to sheet D02 for general notes.
- 6. The exact extent and location of these details is subject to on-site approval by the CCC Contracts Engineer and Freshwater Ecologist, including detail type, placement of timber, basalt boulders and cobbles.
- 7. The contractor is to ensure that all boulders and gravels are to be placed under the direction of CCC's Freshwater Ecologist.
- 8. Location and placement of the stumps and posts is to be under the direction of the CCC's Freshwater Ecologist to ensure site specific outcome is achieved.
- 9. Platipus anchors are to be installed so there is no slack in the stainless steel wire around the timber.



APPROVED CONSULTANT C.D.D. Christchurch City Council Bench Mark ESIGNED 08/2022 Bench Mark RL DES. REVIEW | M PENTECOST 11/2022 DATE SIGNED SURVEY Survey C JORDAAN 08/2022 nder Date Level Book DRW. CHECK J POWICK 11/2022 FOR CONSTRUCTION ILE LOCATION SIGNED CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 **TECHNICAL SERVICES & DESIGN** PRINTED ON \$DATE\$ BY \$USERNAME\$

CASHMERE STREAM REALIGNMENT STAGE 4 TYPICAL IN-STREAM
FEATURES
DETAILS E

ISSUE	AMENDMENTS			SIGNED	DA	TE		
DOCU	MENT NUMBER	ORIGINAL SHEET	SCALES					
	וט	SIZE						
J. 1.2 2.	RAWING FILE REF.	\ \ \ \ \		AS SHOWN				
DE	D135001.DGN	A1						
TSD PF	ROJECT FILE NUMBER		SHE	ĒΤ				
	CP5035		D13	OF	21			




NOTE: TIMBER POSTS CAN VARY IN SIZE AND TYPE OF TIMBER BUT MUST BE UNTREATED TIMBER WHICH CAN INCLUDE ROUGH SAWN PINE, POSTS

PLAN VIEW OF POST SNAG

DETAIL AIM

- Untreated timber posts are driven into the stream bed in a cluster to trap fine woody debris entering the stream.
 The woody debris snag provides variable stream velocity and habitat for aquatic species.
- Use in locations where there are bank stability concerns.



G TYPICAL DETAIL - LOG SNAG
1:50 @ A1

F TYPICAL DETAIL - POST SNAG

DETAIL AIM:


- A hardwood log is wedged across the stream profile providing an informal weir and fish refuge.
- The log provides variable stream velocity and habitat for aquatic species.
- Use in locations where there are bank stability concerns.

NOTES

- 1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless specified otherwise.
- 2. Any deviation is not to be carried out until written instruction is received from the CCC Contracts Engineer.
- 3. The contractor is to check all services with the appropriate authorities prior to commencement of work.
- 4. Drawing is indicative only. Do not scale off drawing. All measurements to be confirmed on site prior to commencement of work.
- 5. Refer to sheet D02 for general notes.
- 6. The exact extent and location of these details is subject to on-site approval by the CCC Contracts Engineer and Freshwater Ecologist, including detail type, placement of timber, basalt boulders and cobbles.
- 7. The contractor is to ensure that all boulders and gravels are to be placed under the direction of CCC's Freshwater Ecologist.
- 8. Location and placement of timber and logs is to be under the direction of the CCC's Freshwater Ecologist to ensure site specific outcome is achieved.
- 9. Platipus anchors are to be installed so there is no slack in the stainless steel wire around the timber.

DRAFT
NOT FOR
CONSTRUCTION

A FOR PRICING
ISSUE A SIGNED DATE APPROVED CONSULTANT PROJECT TITLE C.D.D. DOCUMENT NUMBER Christchurch City Council TD **TYPICAL IN-STREAM** Bench Mark ESIGNED 08/2022 **CASHMERE STREAM REALIGNMENT** DATE AS SHOWN Bench Mark RL DES. REVIEW | M PENTECOST 11/2022 SIGNED AD DRAWING FILE REF. SURVEY Survey **FEATURES:** DD135001.DGN C JORDAAN 08/2022 nder Date Level Book DRW. CHECK J POWICK 11/2022 STAGE 4 TSD PROJECT FILE NUMBER FOR CONSTRUCTION **DETAIL F-G** ILE LOCATION DATE SIGNED CP503560 D14 OF 21 CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 **TECHNICAL SERVICES & DESIGN** PRINTED ON \$DATE\$ BY \$USERNAME\$




DETAIL AIM:

- For use where bank stability is required or is a concern.
- To provide scour protection at the bank margin.

NOTE:

 Detail to be used only when other features won't provide sufficient bank stability.



DETAIL AIM:

• For use where bank stability is required or is a concern. To provide scour protection at the bank margin.

NOTE:

- Detail to be used only when other features won't provide sufficient bank stability.

NOT FOR

A FOR PRICING

APPROVED CONSULTANT Christchurch City Council Bench Mark 08/2022 DATE Bench Mark RL DES. REVIEW | M PENTECOST 11/2022 SIGNED Survey SURVEY 08/2022 ender Date SURVEY LB Level Book DRW. CHECK J POWICK 11/2022 FOR CONSTRUCTION FILE LOCATION SIGNED CONSULTANT PROJECT REF. CONSULTANT FILE REF. 16717 **TECHNICAL SERVICES & DESIGN** PRINTED ON \$DATE\$ BY \$USERNAME\$

CASHMERE STREAM REALIGNMENT STAGE 4

PROJECT TITLE

TYPICAL BANK AND INVERT DETAILS: DETAILS H-I

NOTES

of work.

on site.

specified otherwise

1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless

2. Any deviation is not to be carried out until written instruction is

measurements to be confirmed on site prior to commencement

6. The exact extent and location of these details is subject to on-site

Ecologist, including detail type, placement of basalt boulders.

be placed under the direction of CCC's Freshwater Ecologist,

7. The contractor is to ensure that all boulders and gravels are to

8. Exact numbers of boulders for each location to be determined

approval by the CCC Contracts Engineer and Freshwater

3. The contractor is to check all services with the appropriate

4. Drawing is indicative only. Do not scale off drawing. All

received from the CCC Contracts Engineer.


authorities prior to commencement of work.

5. Refer to sheet D02 for general notes.

including gaps between boulders.

ISSUE AMENDMENTS)		SIGNED	DATE
DOCUMENT NUMBER TD	ORIGINAL SHEET SIZE	SCAL		
cad drawing file ref. DD135001.DGN	A1		AS SHO	OWN
TSD PROJECT FILE NUMBER		SHEE	ĒΤ	
CP5035	60		D15	OF 21

CONSTRUCTION



PRINTED ON \$DATE\$ BY \$USERNAME\$

DETAIL AIM:

• For use where bank stability is required or is a concern.

To provide scour protection at the bank margin.

NOTES

of work.

on site.

specified otherwise.

1. All work is to be undertaken in accordance with the contract

2. Any deviation is not to be carried out until written instruction is

measurements to be confirmed on site prior to commencement

6. The exact extent and location of these details is subject to on-site

Ecologist, including detail type, placement of basalt boulders.

be placed under the direction of CCC's Freshwater Ecologist,

7. The contractor is to ensure that all boulders and gravels are to

8. Exact numbers of boulders for each location to be determined

approval by the CCC Contracts Engineer and Freshwater

document and specifications, the CSS and IDS unless

3. The contractor is to check all services with the appropriate

4. Drawing is indicative only. Do not scale off drawing. All

received from the CCC Contracts Engineer.


authorities prior to commencement of work.

5. Refer to sheet D02 for general notes.

including gaps between boulders.

NOTE:


- **D**etail to be used only when other features won't provide sufficient bank stability.



NOT FOR CONSTRUCTION

APPROVED CONSULTANT PROJECT TITLE Christchurch City Council **TYPICAL BANK** 08/2022 **CASHMERE STREAM REALIGNMENT** DATE Bench Mark RL DES. REVIEW | M PENTECOST AND INVERT DETAILS: 08/2022 nder Date Level Book DRW. CHECK | J POWICK 11/2022 STAGE 4 FOR CONSTRUCTION **DETAILS J-K** FILE LOCATION SIGNED CONSULTANT PROJECT REF. CONSULTANT FILE REF. **TECHNICAL SERVICES & DESIGN**

SIGNED DATE DOCUMENT NUMBER TD **AS SHOWN** CAD DRAWING FILE REF. DD135001.DGN SD PROJECT FILE NUMBER D16 OF 21 CP503560



PROJECT TITLE

NOTES

- All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless specified otherwise.
- 2. Any deviation is not to be carried out until written instruction is received from the CCC Contracts Engineer.
- 3. The contractor is to check all services with the appropriate authorities prior to commencement of work.
- Drawing is indicative only. Do not scale off drawing. All measurements to be confirmed on site prior to commencement of work.
- 5. Refer to sheet D02 for general notes.
- 6. The exact extent and location of these details is subject to on-site approval by the CCC Contracts Engineer and Freshwater Ecologist, including detail type, placement of basalt boulders.
- Ecologist, including detail type, placement of basalt boulders.

 7. The contractor is to ensure that all boulders and gravels are to be placed under the direction of CCC's Freshwater Ecologist, including gaps between boulders.
- 8. Exact numbers of boulders for each location to be determined on site.



 For use where pedestrian access to the stream is to be provided, and bank stability is required.




	DATUM	C.D.D.		NAME	SIGNED	DATE	APP	ROVED	CONSULTANT	
Christchurch	BENCH MK.	Bench Mark	DESIGNED	A SMITH		08/2022	FOR	R TENDER]	
CIII ISTCII UI CII	RL	Bench Mark RL	DES. REVIEW	M PENTECOST		11/2022	DATE	SIGNED]	
City Council	SURVEY	Survey	DRAWN	C JORDAAN		08/2022	Tender Date		1	
City Coulicit	SURVEY LB	Level Book	DRW. CHECK	J POWICK		11/2022	FORCO	NETRUCTION	-	
			FILE LOCATION				DATE	ONSTRUCTION	-	
TECHNICAL SERVICES & DESIGN	DRAIN REF.	16717	\$FILENAME\$				DATE	SIGNED	CONSULTANT PROJECT REF.	CONSULTANT FILE REF.
I ECHNICAL SERVICES & DESIGN	SAP WBS	562/3873	PRINTED ON S	DATE\$ BY \$	USERNAMI	 ≣\$	Constn Date			


TYPICAL DETAIL - BASALT ROCK STEPS

CASHMERE STREAM REALIGNMENT STAGE 4

TYPICAL DETAILS: DETAIL L

ISSUE	AMENDMENTS			SIGNED	DATE
DOCUM	MENT NUMBER	ORIGINAL SHEET SIZE	SCAL		
	RAWING FILE REF. D135001.DGN	A1		AS SHO	OWN
TSD PF	ROJECT FILE NUMBER		SHEE	ΕT	
(CP5035	60		D17	OF 21





NTYPICAL DETAIL - PLANTING CROSS-SECTION 1:50 @ A1 1:100 @ A3



APPROVED CONSULTANT Christchurch City Council Bench Mark RL DATE SURVEY LB Level Book DRW. CHECK J POWICK FOR CONSTRUCTION FILE LOCATION CONSULTANT PROJECT REF. 16717 **TECHNICAL SERVICES & DESIGN**

CASHMERE STREAM REALIGNMENT

TYPICAL DETAILS: DETAILS M-N

NOTES

specified otherwise.

1. All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless

2. Any deviation is not to be carried out until written instruction is received from the CCC Contracts Engineer.

measurements to be confirmed on site prior to commencement

3. The contractor is to check all services with the appropriate


4. Drawing is indicative only. Do not scale off drawing. All


authorities prior to commencement of work.

5. Refer to sheet D02 for general notes.6. Refer to sheets L01-L05 for planting plans.

ISSUE	AMENDMENTS			SIGNED	DATE
DOCUM	MENT NUMBER TD	ORIGINAL SHEET SIZE	SCAL	.ES	
	RAWING FILE REF. D135001.DGN	A1		AS SHO	OWN
TSD PF	ROJECT FILE NUMBER		SHEE	ĒΤ	
	CP5035	60	[D18	OF 21

STAGE 4





	PIPE STRUCTURES										
ID	TYPE	DETAILS	CO-ORD (CENTROID)								
HW01	DN225 ROCK HEADWALL	CL = 19.090 SW1.01 INV OUT = 18.852	E: 388443.82 N: 800540.00								
HW02	DN225 ROCK HEADWALL	CL = 18.960 SW1.01 INV IN = 18.722	E: 388444.02 N: 800544.79								
HW09	DN225 ROCK HEADWALL	CL = 18.933 SW1.05 INV OUT = 18.571	E: 389047.42 N: 800526.82								
HW10	DN225 ROCK HEADWALL	CL = 18.791 SW1.05 INV IN = 18.553	E: 389048.29 N: 800522.48								
HW14	DN225 ROCK HEADWALL	CL = 18.681 SW1.03 INV IN = 18.140	E: 389141.82 N: 800595.48								
HW03	DN225 ROCK HEADWALL	CL = 18.679 SW1.02 INV OUT = 18.441	E: 388587.58 N: 800541.31								
HW04	DN225 ROCK HEADWALL	CL = 18.628 SW1.02 INV IN = 18.390	E: 388586.73 N: 800546.36								
HW07	DN225 ROCK HEADWALL	CL = 18.536 SW1.04 INV OUT = 18.247	E: 389140.89 N: 800607.52								
HW13	DN225 ROCK HEADWALL	CL = 18.510 SW1.03 INV OUT = 18.180	E: 389138.19 N: 800596.11								
HW08	DN225 ROCK HEADWALL	CL = 18.461 SW1.04 INV IN = 18.224	E: 389145.51 N: 800607.46								
HW15	DN225 ROCK HEADWALL	CL = 18.194 SW1.08 INV OUT = 17.956	E: 389158.87 N: 800804.94								
HW16	DN225 ROCK HEADWALL	CL = 18.105 SW1.08 INV IN = 17.867	E: 389167.47 N: 800803.38								

	PIPE STRUCTURES									
ID	TYPE	DETAILS	CO-ORD (CENTROID) E: 389125.78 N: 800975.49							
MH18	SD303 MH	CL = 18.872 SW01.09 INV IN = 15.928								
MH17	SD303 MH	CL = 18.400 SW01.09 INV OUT = 16.081	E: 389162.62 N: 800965.66 E: 389150.77 N: 800960.27							
MH20	NULL STRUCTURE	CL = 17.916 SW01.10 INV IN = 17.060								
MH19	NULL STRUCTURE	CL = 16.786	E: 389164.59 N: 800956.67							

	PIPE DATA - NETWORK SW1									
PIPE ID	TYPE	2D LENGTH	3D LENGTH	GRADE	US IL	DS IL	MAX. DEPTH			
SW1.01	DN225 SN8 PVC-U	4.8	4.8	2.71%	18.85	18.72	0.5			
SW1.02	DN225 SN8 PVC-U	5.1	5.1	1.00%	18.44	18.39	0.7			
SW1.04	DN225 SN8 PVC-U	4.6	4.6	0.50%	18.25	18.22	0.5			
SW1.05	DN225 SN8 PVC-U	4.4	4.4	0.40%	18.57	18.55	0.6			
SW1.03	DN150 SN8 PVC-U	3.7	3.7	1.09%	18.18	18.14	0.6			
SW1.08	DN225 SN8 PVC-U	8.7	8.7	1.02%	17.96	17.87	0.2			

PIPE DATA - NETWORK SW01									
PIPE ID	TYPE	2D LENGTH	3D LENGTH	GRADE	US IL	DS IL	MAX. DEPTH		
SW01.09	DN375 SN8 PVC-U	38.1	38.1	0.40%	16.08	15.93	2.9		
SW01.10	17.05	17.06	0.2						


NOTES

- All work is to be undertaken in accordance with the contract document and specifications, the CSS and IDS unless specified otherwise.
 Refer to sheet D02 for general notes.

WH 2303 W	
DATUM R.L. 11.00 GROUND LEVEL (m)	18.40
DEPTH TO INVERT (m) 65.	7.32
PIPE INVERT LEVEL (m)	16.08
DISTANCE (m)	38.1
GRADIENT	0.40% (1:250)
PIPE SIZE AND MATERIAL	DN375 SN8 PVC-U


S LONGITUDINAL PROFILE 0.0 m TO 38.1 m (SW01.09)

HORIZONTAL SCALE 1:100 @ A1 VERTICAL SCALE 1:100 @ A1



T SIPHON CROSSING DETAIL (SW01.09)

SCALE 1:100 @ A1 1:200 @ A3



HORIZONTAL SCALE 1:100 @ A1 VERTICAL SCALE 1:100 @ A1



©										A FOR PRICING ISSUE AMENDMENTS	11/2022 SIGNED DATE
	DATUM C.D.D		NAME	SIGNED DATE	APPROVED	CONSULTANT		PROJECT TITLE	DRAWING TITLE	DOCUMENT NUMBER ORIGIN,	NAL SCALES
Christchurch	BENCH MK. Bench M	ark DESIGNED	A SMITH	08/2022	FOR TENDER				PIPEWORK	TD SHEET SIZE	1:100 A1
	RL Bench Ma	k RL DES. REVIE	W M PENTECOS	11/2022	DATE SIGNED			CASHMERE STREAM REALIGNMENT		CAD DRAWING FILE REF.	
City Council	SURVEY Surve	DRAWN	G WILLIAMS	08/2022	Tender Date			CASHIVIERE STREAM REALIGINIVIER	LONGITUDINAL	DD135002.DGN	\1 1:200 A3
City Council	SURVEY LB Level Bo	ok DRW. CHEC	CK J POWICK	11/2022	FOR CONSTRUCTION	1		STAGE 4	LONGITODINAL	TSD PROJECT FILE NUMBER	SHEET
		FILE LOCATION	ON		DATE SIGNED		<u>_</u>	J JAGE 4	PROFILES AND DETAIL		
TECHNICAL SERVICES & DESIGN	DRAIN. REF. 16717	\$FILENAME\$			- CONED	CONSULTANT PROJECT REF.	CONSULTANT FILE REF.		PROFILES AND DETAIL	CP503560) D21 of 21
TECHNICAL SERVICES & DESIGN	SAP WBS 562/38	3 PRINTED O	N \$DATE\$ BY	SUSERNAME\$	Constn Date						'